PLANTS OF INDONESIA

Fabaceae Cat. # 880

***Cassia alata* L.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Shrub ca. 2.5 m tall. Flower bright yellow. Fruit black when dry. Leaves fetid. Locally abundant along river sides.
Notes:
Local name: Galinggang
Mahyar, U.W. 880 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Solanaceae Cat. # 881

Solanum torvum

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Shrub ca. 3 m tall. Loosely branched. Flower white, anthers bright yellow. Berry dark green, edible. Open area, often cultivated.
Notes:
Local name: Sanggau
Mahyar, U.W. 881 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Schizaeaceae Cat. # 882A

Lygodium cicinatum

Need Label for 882B

Lygodium salicifolium

Det. By: J.S. Burley, 1988

Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Climbing fern, up to 3 m. Leaves shiny green. Sori brown. Ladang margin, open place.

Notes:
Local name: Tagentu

Mahyar, U.W. 882A 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Rubiaceae Cat. # 883

Uncaria ~~lanosa~~ ferrea
lanosa

Det. By: J.S. Burley, 1988

Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Woody liana ca. 5 m long. Flower salmon colored. Ladang margin, open area. Common.

Notes:
Local name: Ketateal

Mahyar, U.W. 883 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Rubiaceae Cat. # 884

Myrmeconauclea strigosa **(Korth.) Merr.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Rheophyte, ca. 2 m tall. Many branches growing
from base. Flower white, fragrant. Common.
Notes:
Local name: Panahan
Mahyar, U.W. 884 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Cyperaceae Cat. # 885

Mapania cuspidata **(Miq.) Uitt.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Herb, stemless, 50 m tall. Scattered in shaded area,
rich hummus. Growing along river.
Notes:
Local name: Bakung utan
Mahyar, U.W. 885 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Rubiaceae Cat. # 886

***Nauclea subdita* Miq.**

Det. By: J.S. Burley, 1988

Locality:

Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:

Shrub 3 m tall, much branched. Flower head
greenish-white. Growing along river bank, open area.
Common.

Notes:

Local name: Taya

Mahyar, U.W. 886 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Actinidiaceae Cat. # 887

***Saurauia ferox* Korth.**

Det. By: J.S. Burley, 1988

PLANTS OF INDONESIA

Melastomataceae Cat. # 890

***Melastoma stenophyllum* Merr.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Shrub 2 m tall, much branched, rigid. Flower bright
purple. Growing on river banks, flooded area. Open.
Notes:
Local name: Keminting batu
Mahyar, U.W. 890 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Rhamnaceae Cat. # 891

***Alphitonia incana* (Roxb.) Teijsm.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Shrub ca. 4 m tall. Leaves silvery beneath. Flower
yellow, sweet scent. Growing in old ladang area.
Open area, common.
Notes:
Local name: Tembalik angin
Mahyar, U.W. 891 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Myrsinaceae Cat. # 892

***Maesa ramentacea* Wall.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Liana ca. 5 m long. Berry pale green. Growing in
old ladang area, open. Common.
Notes:
Local name: Spilak
Mahyar, U.W. 892 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Loranthaceae Cat. # 893

***Scurrula ferruginae* (Jack) Dans.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Parasite on Lagerstroemia indica, 6 m tall, wide
crown, much branched. Flower brownish. Growing
in old ladang area, open.
Notes:
Local name: Benalu teh
Mahyar, U.W. 893 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Myrtaceae Cat. # 894

***Syzygium polyanthum* (Wight) Masamune**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Small tree 8 m tall, much branched. Leaves fragrant
when crushed. Young berry greenish-purple.
Growing along river bank, open area. Common.
Notes:
Local name: Rawas
Mahyar, U.W. 894 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Euphorbiaceae Cat. # 895

***Glochidion rubrum* Bl.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Shrub 1.5 m tall. Young leaves greenish-purple.
Open area, common.
Notes:
Local name: Bahunai
Mahyar, U.W. 895 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Simaroubaceae Cat. # 896

***Brucea javanica* (L.) Merr.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Shrub ca. 2 m tall. Berry pale green, ripening black.
Open area, common.
Notes:
Local name: Siriola
Mahyar, U.W. 896 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Rubiaceae Cat. # 897

***Psychotria viridiflora* Reinw. ex Bl.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Shrub 2.5 m tall. Flower white. Fruit pale greenish-
orange. Open area, common.
Notes:
Local name: Sampaheneng
Mahyar, U.W. 897 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Marantaceae Cat. # 898

Donax cannaeformis **(Forst. f.) K. Schum.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Shrub ca. 2.5 m tall. Flower white. Fruit pale green.
Growing along river, open area. Common.
Notes:
Local name: Bangban
Mahyar, U.W. 898 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Poaceae Cat. # 899

Eleusine indica **(L.) Gaertn.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Grass with compact tuft, not easy to pull. Growing
along river bank, stony open area.
Notes:
Local name: Urlewu
Mahyar, U.W. 899 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Rutaceae Cat. # 900

***Citrus aurantifolia* (Christm. et Panz.) Swingle**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Small tree 4 m tall, much branched. Young fruit pale green. Cultivated in garden, open area.
Notes:
Local name: Limau nipis
Mahyar, U.W. 900 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Lamiaceae Cat. # 901

Plectranthus scutelariodes

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Herb, .50 m tall. Leaves multi-colored, sweet scented when crushed. Flower pale blue. Cultivated in garden as ornamental and medicine.
Notes:
Local name: Bunga tandang
Mahyar, U.W. 901 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Malvaceae Cat. # 902

Sida rhombifolia* L. var. *retusa

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Undershrub 0.75 m tall, much branched from the base. Flower orange. Growing wild around the village, open area, on fertile soil.
Notes:
Local name: Kayu timur
Mahyar, U.W. 902 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Lamiaceae Cat. # 903

***Ocimum sanctum* L.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Herb, 0.50 m tall. Leaves sweet scented when crushed. Flower white. Cultivated in the garden as medicinal and culinary herb. Open place, fertile soil.
Notes:
Local name: Bungo
Mahyar, U.W. 903 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Meliaceae Cat. # 904

***Sandoricum borneense* Miq.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Tree ca. 30 m tall. Flower pale yellow. Fruit dull
greenish-yellow. Common along the river.
Notes:
Local name: Papu
Mahyar, U.W. 904 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Melastomataceae Cat. # 905

***Melastoma polyanthum* Bl.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Shrub 1.5 m tall. Flower purple. Secondary forest,
old ladang. Open area, common.
Notes:
Local name: Kaminting
Mahyar, U.W. 905 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Scrophulariaceae Cat. # 906

Picria fell-terrae

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Creeping herb. Leaves pale greenish-red. Bract
reddish-green. Ladang area, sometimes weed. Open
place and fertile soil.
Notes:
Local name: Tisik peang
Mahyar, U.W. 906 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Verbenaceae Cat. # 907

***Vitex pinnata* L.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Tree 6 m tall, much branched. Flower bluish-white.
Fruit bluish-black. Common in secondary forest,
open area.
Notes:
Local name: Lapapo
Mahyar, U.W. 907 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Euphorbiaceae Cat. # 908

***Antidesma venenosum* J.J.S.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Small tree 6 m tall, much branched. Berry pale green turning pinkish-purple. Common in secondary forest, open area.
Notes:
Local name: Uhai
Mahyar, U.W. 908 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Fabaceae Cat. # 909

***Mimosa pudica* L.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Creeping herb. Flower pale purple. Weed in ladang. Open area and fertile soil.
Notes:
Local name: Putri malu
Mahyar, U.W. 909 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Costaceae Cat. # 910

Costus speciosus **Bl.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Herb, 0.75 m tall. Secondary forest, shaded area and
wet soil.
Notes:
Local name: Tewukak
Mahyar, U.W. 910 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Asteraceae Cat. # 911

Blumea balsamnifera **(L.) DC.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Shrub 120 cm tall. Leaves sweet scented when
crushed. Flower heads pinkish. Common in old
ladang. Open area with fertile soil.
Notes:
Local name: Lomung
Mahyar, U.W. 911 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Moraceae Cat. # 912

Ficus uncinata

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Shrub 3 m tall. Cauliflorous, inflorescence 1.5 m, hanging down and creeping on ground. Fig bright purple, edible. Secondary forest. Open place, common on wet soil.
Notes:
Local name: Maning
Mahyar, U.W. 912 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Sapindaceae Cat. # 913

Lepisanthes umbellata

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Herb 1 m tall, stem thick, soft and wet.
Inflorescence dull green. Secondary forest, shaded area with wet soil.
Notes:
Local name: Samakawo
Mahyar, U.W. 913 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Poaceae Cat. # 914

Eulalia

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Grass with very large and dense tuft. Roots strong.
Spike with silvery soft hairs. Rheophite plant,
growing on rock. Open area, common.
Notes:
Local name: Purun
Mahyar, U.W. 914 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Amaranthaceae Cat. # 915

***Celosia argentea* L.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Herb, 0.75 m tall, much branched. Leaves dark red.
Inflorescence red. Cultivated in ladang as vegetable.
Open area with fertile soil.
Notes:
Local name: Bayam
Mahyar, U.W. 915 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

NOTE: 916 MAS
A + B

PLANTS OF INDONESIA

Sapindaceae Cat. # 916

***Lepisanthes amoena* (Hassk.) Leenh.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Shrub ca. 3 m tall. Young fruit green. Common in
old ladang, open area.
Notes:
Local name: Matanandau
Mahyar, U.W. 916 A 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Actinidiaceae Cat. # 917

Saurauia pentapotala

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Shrub 3 m tall. Common in old ladang, open area.
Notes:
Local name: Kamborok
Mahyar, U.W. 916 B 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Annonaceae Cat. # 918

Polyalthia oblique cf.

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Small tree 6 m tall. Young fruit dull green. Flower yellow. Common along Miri river. Shaded area.
Notes:
Local name: Mahawai air
Mahyar, U.W. 917 A 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Cat. # 919

Microsorium ithycaroum cf.

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Epiphytic fern. Frond dark green. Sori brown. Common in shaded area along river. Growing with other epiphytes.
Notes:
Local name: Tarinting
Mahyar, U.W. 917 B 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Clusiaceae Cat. # 920

Cratoxylum sumatranum

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Small tree 6 m tall. Growing along margin of forest.
Notes:
Local name: Patindis. Sterile
Mahyar, U.W. 918 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Asteraceae Cat. # 921

Elephantopus scaber L.

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Herb, stemless before bearing inflorescence. Leaves
dark green. Common in ladang area. Open area,
fertile soil.
Notes:
Local name: Segaoliao. Used for medicine.
Mahyar, U.W. 919 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Cat. # 922

Forrestia mollisima

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Scandant herb, up to 0.75 m tall. Common in moist soil and shaded area. Growing along river banks.
Notes:
Local name: Paku haui
Mahyar, U.W. 920 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Cat. # 923

Justica gendarusa

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Undershrub 1 m tall. Stem dark violet when old. Leaves pale green beneath. Common along river in slightly open areas.
Notes:
Local name: Katambat
Mahyar, U.W. 921 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Euphorbiaceae Cat. # 924

***Codiaeum variegatum* Bl.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Shrub 2.5 m tall. Leaves reddish-green with midrib and margin yellow. Cultivated in garden as ornamental fence and for ceremony.
Notes:
Local name: Kayu tuntung
Mahyar, U.W. 922 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Euphorbiaceae Cat. # 925

Breynia vitis-idaea

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Undershrub 1.5 m tall, much branched. Leaves dull green beneath. Flower pale green. Common in old ladang. Open area, slightly shaded.
Notes:
Local name: Rahwana
Mahyar, U.W. 923 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Orchidaceae Cat. # 926

Bromheadia finlaysoniana **(Lindl.) Riechb.f.**

Det. By: J.S. Burley, 1988

Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Stem ca. 2 m tall. Common orchid in old ladang.
Mixed with Gleichenia linearis. Open area with rich
hummus.

Mahyar, U.W. 924 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Asclepiadaceae Cat. # 927

Dorystephania borneensis **Steen.**

Det. By: J.S. Burley, 1988

Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Undershrub 0.75 m tall. Milky latex. Folicle green.
Growing along river, shaded area. Rare.

Mahyar, U.W. 925 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Verbenaceae Cat. # 928

***Callicarpa pentandra* Roxb.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Ladang area and
Miri River environs.
0°28'S 113°44'E Alt: 200 m, ca.

Field Char:
Shrub ca. 4 m tall. Leaves silvery beneath. Fruit
blackish when ripe. Flower bud pale purple. Old
ladang area. Open area, common.
Notes:
Local name: Kenari
Mahyar, U.W. 926 30 March 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Orchidaceae Cat. # 929

***Arundina graminifolia* (Don) Hochr.**

Det. By:
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Miri River and
environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Stem ca. 1.5 m tall. Large compact tuft. Flower
purple, open only in the morning. Rheophyte
growing in stony open area.
Notes:
Local name: Purun
Mahyar, U.W. 927 19 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Moraceae Cat. # 930

Morus alba

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Miri River and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Shrub ca. 3 m tall, laxly branched. Bark pale green. Young capitulum green, stamens white. Fruit dark purplish-black when ripe, edible, sweeet. Mostly cultivated in garden but often found along river, open area.
Notes:
Local name: Mosai
Mahyar, U.W. 928 19 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Moraceae Cat. # 931

Ficus deltoidea **Jack**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Miri River and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Undershrub 0.75 m tall, much branched. Leaves yellowish-green, especially beneath. Fig orange. Epiphyte on big tree growing w/ other epiphytes. Open area along river bank.
Notes:
Local name: Sasendok
Mahyar, U.W. 929 19 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Ericaceae Cat. # 932

Vaccinium bancanum* Miq. var. *bancanum

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Miri River and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Undershrub 0.75 m tall, much branched. Leaves shiny above. Young berry green. Epiphyte growing on big tree w/ other epiphytes. Open area along river bank.

Mahyar, U.W. 930 19 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Melastomataceae Cat. # 933

Plethiandra

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Miri River and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Undershrub 0.50 m tall, branched at the base. Petals pink. Fruit orange. Epiphyte growing on big tree w/ other epiphytes. Open area along river bank.

Mahyar, U.W. 931 19 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Myrtaceae Cat. # 934

Syzygium

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Miri River and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Small tree ca. 4 m tall. Leaves shiny. Common along river bank, open area.
Notes:
Local name: Belawan. Sterile material.
Mahyar, U.W. 932 19 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Pandanaceae Cat. # 935

Pandanus

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Miri River and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Epiphyte growing on trunk of tree. Riverside.
Notes:
Local name: Grahising. Unicate at BO
Mahyar, U.W. 933 19 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Lamiaceae Cat. # 936

Pogostemon cablin

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Miri River and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Herb, 0.50 m tall, branching at base. Leaves sweet scented when crushed. Cultivated in garden. Open area w/ fertile soil.
Notes:
Used for medicine and parfume.
Mahyar, U.W. 934 19 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Cat. # 937

Psychotria ?

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Miri River and environs.
0°28'S 113°44'E Alt: 200 m ca.

PLANTS OF INDONESIA

Onagraceae Cat. # 938

Ludwigia octovalvis

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Miri River and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Herb 0.50 m tall. Flower yellow. Capsule green. Common along riversides. Open area, mostly mixed with grass and fertile soil.
Notes:
Local name: Urusumue
Mahyar, U.W. 937 19 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Actinidiaceae Cat. # 939

Saurauia longistyla cf.

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Miri River and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Small tree ca. 3.5 m tall, laxly branched; ramiflora, flower bud greenish-white. Common along river banks, open area.
Notes:
Local name: Kemborok
Mahyar, U.W. 938 19 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Euphorbiaceae Cat. # 940

***Bridelia glauca* Bl.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Miri River and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Small tree ca. 6 m tall. Wood hard. Leaves glossy. Fruit dark green. Common along river banks. Open area.
Notes:
Local name: Tate
Mahyar, U.W. 939 19 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Euphorbiaceae Cat. # 941

Homalanthus populneus

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Miri River and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Small tree ca. 5 m tall. Petiole pinkish-green. Leaves greyish beneath. Inflorescence pale green. Common along river banks.
Notes:
Local name: Ketukpak
Mahyar, U.W. 940 19 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Rubiaceae Cat. # 942

Psychotria viridiflora **Reinw. ex Bl.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Miri River and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Shrub 2 m tall. Berry pale green. Common along river banks. Open area.
Notes:
Local name: Kadamba
Mahyar, U.W. 941 19 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Tiliaceae Cat. # 943

Trichospermum javanicum **Bl.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Miri River and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Shrub 2.5 m tall. Common along river banks, open area.
Notes:
Local name: Rewuy
Mahyar, U.W. 942 19 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Apocynaceae Cat. # 944

Willughbeia firma cf.

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Miri River and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Robust liana, 6 m long. Leaves dark green, shiny. Growing along margin of forest, open area.
Notes:
Local name: Dangu
Mahyar, U.W. 943 19 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Poaceae Cat. # 945

Coix lacryma-jobi

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Miri River and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Grass, 1.5 m tall. Small tufts. Fruit cream colored, hard. Growing wild in ladang area; sometimes cultivated. Open area with fertile soil.
Notes:
Local name: Jelai batu
Mahyar, U.W. 944 19 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Apocynaceae Cat. # 946

***Alstonia scholaris* (L.) R. Br.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Miri River and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Small tree 6 m tall. Bark greyish-white. Growing along amrgin of forest, open area.
Notes:
Local name: Plawi
Mahyar, U.W. 945 19 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Myrtaceae Cat. # 947

Syzygium

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Miri River and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Small tree 6 m tall. Flower bud pale green, stamens white. Common along river, shaded open area.
Notes:
Local name: Karahuang
Mahyar, U.W. 946 19 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Aspleniaceae Cat. # 948

Diplazium procumbens cf.

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Miri River and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Solitary fern, stemless. Frond 0.75 m long. Leaves shiny, especially when young, edible. Sori brown. Common along river, flooded area. Open area with fertile soil.
Notes:
Local name: Paku banut
Mahyar, U.W. 947 19 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Myrsinaceae Cat. # 949

***Embelia myrianthe* Mez**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Miri River and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Robust liana 6 m long. Flower pale green. Growing along forest margin, open area.
Notes:
Local name: Tuwe riwut
Mahyar, U.W. 948 19 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Euphorbiaceae Cat. # 950

***Koilodepas brevipes* Merr.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Small tree ca. 5 m tall. Leaves shiny. Young fruit pale green. Common in secondary forest, open area.
Notes:
Local name: Maliti
Mahyar, U.W. 949 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Solanaceae Cat. # 951

Solanum lasiocarpum

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Shrub ca. 1 m tall, much branched. Flower white. Fruit with pale brown hairs, yellow when ripe. Mostly cultivated in garden and ladang. Open area with fertile soil.
Notes:
Local name: Rimbang putih
Mahyar, U.W. 950 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Sterculiaceae Cat. # 952

Melochia corchorifolia

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Herb, 0.50 m tall. Leaves reddish-green. Flower white. Common weed in ladang area.
Notes:
Local name: Tapinggan
Mahyar, U.W. 951 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Menispermaceae Cat. # 953

Arcangelisia

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Climbing vine, 5 m long. Leaves dark green, shiny. Common in secondary forest, open area.
Notes:
Local name: Tabat barito
Mahyar, U.W. 952 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Myrtaceae Cat. # 954

Syzygium

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Small tree ca. 5 m tall, much branched. Fruit dark green. Common along the river.
Notes:
Local name: Karahuang batu
Mahyar, U.W. 953 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Cat. # 955

?

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Small tree ca. 5 m tall. Flower pale green. Growing along river banks. Open area, common.

Mahyar, U.W. 954 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Leeaceae Cat. # 956

***Leea indica* (Burm.f.) Merr.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Shrub 2.5 m tall. Fruit reddish-green. Growing along river banks. Open area, common.
Notes:
Local name: Tengkawang kapas
Mahyar, U.W. 955 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Cat. # 957

?

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Herb, 0.40 m tall. Flower lilac colored. Common along river bank. Open area, stony and flooded.
Notes:
Local name: Jinjit batu
Mahyar, U.W. 956 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Dilleniaceae Cat. # 958

***Dillenia indica* L.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Small tree 4 m tall. Growing along river bank and environs. Open place, common.
Notes:
Local name: Kayu nyahu. STERILE!
Mahyar, U.W. 957 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Orchidaceae Cat. # 959

Grammatophyllum

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Epiphytic orchid with big tuft and robust stem.
Growing on large tree along river. Common.
Notes:
Local name: Tewu jangkelep
Mahyar, U.W. 958 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Rubiaceae Cat. # 960

Pavetta

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Shrub 2.5 m tall. Flower white. Fruit green.
Growing along river bank. Open area, common.

Mahyar, U.W. 959 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Melastomataceae Cat. # 961

Medinilla

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Undershrub 0.75 m tall. Stem thick. Leaves slightly fleshy. Fruit orange. Epiphyte on tree trunk.
Growing along river bank w/ other epiphytes.
Shaded area, common.

Mahyar, U.W. 960 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Myrsinaceae Cat. # 962

Ardisia

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Shrub 2.5 m tall. Flower purple. Secondary forest. Slightly shaded area, rare.

Mahyar, U.W. 961 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Sapindaceae Cat. # 963

Allophylus cobbe

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Shrub 3 m tall. Fruit purplish. Secondary forest. Slightly shaded area, rare.

Mahyar, U.W. 962 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Anacardiaceae Cat. # 964

Campnosperma auriculata

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Young tree 1.5 m tall. Secondary forest. Slightly shaded area, rare.
Notes:
Local name: Hantangan
Mahyar, U.W. 963 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Apocynaceae Cat. # 965

Apocynaceae

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Robust liana, 6 m long. Flower cream, sweet scented. Young fruit green. Secondary forest. Slightly shaded area, common.

Mahyar, U.W. 964 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Urticaceae Cat. # 966

***Leucosyke capitellata* (Poir.) Wedd.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Shrub 2.5 m tall, much branched. Leaves silvery beneath. Flower pale green. Old secondary forest. Open area, common.

Mahyar, U.W. 965 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Araliaceae Cat. # 967

Polyscias fruticosa

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Shrub 2 m tall. Leaves sweet scented, edible. Flower pale green. Cultivated in ladang. Open area, slightly shaded.
Notes:
Local name: Daun kedondong
Mahyar, U.W. 966 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Euphorbiaceae Cat. # 968

Macaranga

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Small tree ca. 5 m tall. Young twig thick. Flower pale green. Common around ladang margin, open area.
Notes:
Local name: Gahung
Mahyar, U.W. 967 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Malvaceae Cat. # 969

Abelmoschus esculentus

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Undershrub 1.5 m tall. Flower yellow. Pod pale green. Cultivated in ladang as vegetable. Open palce with fertile soil.
Notes:
Local name: Jagung belanda
Mahyar, U.W. 968 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Melastomataceae Cat. # 970

***Medinilla crassifolia* Bl.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Undershrub 0.75 m tall. Leaves slightly fleshy. Berry orange. Epiphyte on tree trunk. Shaded area, along river banks.

Mahyar, U.W. 969 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Araceae Cat. # 971

Araceae

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Herb, 0.30 m tall. Leaves dark green, silverish in middle. Spatha pale green. Common along river. Stony area, shaded.

Mahyar, U.W. 970 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Myrsinaceae Cat. # 972

Ardisia

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Undershrub 2 m tall. Flower purplish. Growing along river banks. Slightly open area, rare.

Mahyar, U.W. 971 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Euphorbiaceae Cat. # 973

Antidesma

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Small tree 6 m tall. Young fruit green. Common along river banks.

Mahyar, U.W. 972 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Rubiaceae Cat. # 974

Rubiaceae

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Herb, 0.40 m tall. Flower yellow. Fruit pale green. Common along river banks. Shaded area.

Mahyar, U.W. 973 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Moraceae Cat. # 975

***Ficus racemosa* L.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Small tree ca. 6 m tall, much branched. Young leaves edible. Common along river banks, shaded place.
Notes:
Local name: Hara
Mahyar, U.W. 974 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Apiaceae Cat. # 976

Hydrocotyle javanica

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Creeping herb, 1 m tall. Leaves soft and slightky fleshy. Flower pale green. Growing along river bank. Shaded area with fertile soil. Locally abundant.
Notes:
Local name: Antanan
Mahyar, U.W. 975 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Verbenaceae Cat. # 977

Vitex trifoliata

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Shrub 2 m tall. Leaves silvery beneath. Growing along river bank. Open stony area.
Notes:
Local name: Tagundi. STERILE!
Mahyar, U.W. 976 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Ebenaceae Cat. # 978

***Diospyros malayana* Bakh.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Small tree ca. 5 m tall. Fruit dark green. Common along river bank. Shaded area.

Mahyar, U.W. 977 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Liliaceae Cat. # 979

Curculigo borneensis cf.

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Growing along river bank. Shaded area with fertile soil. Rare.
Notes:
Local name: Lemba utan
Mahyar, U.W. 978 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Verbenaceae Cat. # 980

Clerodendrum infortunatum

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Shrub 2 m tall. Fruit green. Growing along river bank. Shaded area, rare.
Notes:
Local name: Karapoid
Mahyar, U.W. 979 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Verbenaceae Cat. # 981

Clerodendrum benthunianum

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Shrub 1.5 m tall. Stem thick. Leaves dark green. Flower dark red. Growing along river bank. Shaded area, rare.
Notes:
Local name: Dirang
Mahyar, U.W. 980 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Anacardiaceae Cat. # 982

Dracontomelon dao **(Blanco) Merr. & Rolfe**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Tree ca. 15 m tall, 40 cm dbh. Flower bud green.
Very common along river.
Notes:
Local name: Urui
Mahyar, U.W. 981 24 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Annonaceae Cat. # 983

Annonaceae

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Secondary forest, rare.

Mahyar, U.W. 982 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Cat. # 984

Leguminosae

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Woody liana 3 m long. Secondary forest. Open area, common.
Notes:
Local name: Bejakah kumpang. STERILE!
Mahyar, U.W. 983 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Vitaceae Cat. # 985

Cayratia japonica **(Thunb.) Gagnep.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Slender liana ca. 3 m long. Flower bud green.
Secondary forest. Open area, common.
Notes:
Local name: Lakum
Mahyar, U.W. 984 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Schizaeaceae Cat. # 986

Schizaea digitata

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Tuft 0.35 m tall. Sori brown. Secondary forest.
Slightly shaded area, sandy loam.

Mahyar, U.W. 985 A 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Pandaceae Cat. # 987

Galearia fulva

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Shrub 2.5 m tall. Leaves shiny. Secondary forest.
Open area, common.
Notes:
Local name: Tantegar
Mahyar, U.W. 986 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Rubiaceae Cat. # 988

***Mussaenda frondosa* L.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Woody liana, 5 m long. Friut dark green with brown spots. Secondary forest. Open area, common.

Mahyar, U.W. 988 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Cat. # 989

?

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Shrub 2 m tall. Secondary forest. Open area, common.
Notes:
Local name: Kajirak
Mahyar, U.W. 989 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Rubiaceae Cat. # 990

Ixora

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Shrub 2 m tall, 1 cm dbh. Flower orange. Secondary forest. Open area, rare.

Mahyar, U.W. 990 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Hanguanaceae Cat. # 991

Hanguana malayana **(Jack) Merr.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
0.50 m tall, stemless. Leaves rigid. Fruit violet to green. Growing along forest margin. Shaded wet area, common.

Mahyar, U.W. 991 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Menispermaceae Cat. # 992

***Fibraurea chloroleuca* Miers.**

Det. By: J.S. Burley, 1988

Locality:

Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:

Liana 4 m long. Leaves shiny. Flower pale yellow. Growing along forest margin. Open area, rare.

Mahyar, U.W. 992 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Rubiaceae Cat. # 993

Rubiaceae

Det. By: J.S. Burley, 1988

Locality:

Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:

Herb, 0.50 m tall. Berry pale green. Growing along forest margin. Shaded wet area, common.

Mahyar, U.W. 993 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Orchidaceae Cat. # 994

Orchidaceae

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Growing along forest margin. Shaded wet area, common.

Mahyar, U.W. 994 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Cat. # 995

?

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Herb, 0.50 m tall. Stem slightly fleshy. Flower yellow. Growing along margin of forest. Shaded wet area, common.

Mahyar, U.W. 995 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Zingiberaceae Cat. # 996

Curcuma domestica

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Flower bracts pale green. Cultivated in garden. Open area with fertile soil.
Notes:
Local name: Kunyit
Mahyar, U.W. 996 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Asclepiadaceae Cat. # 997

Marsdenia tinctoria

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Liana 5 m long. Leaves dark green, fetid scent when crushed. Cultivated in garden; open area with fertile soil. Used on hair to dye black.
Notes:
Local name: Tahum
Mahyar, U.W. 997 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Malvaceae Cat. # 998

***Hibiscus rosa-sinensis* L.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Shrub 3 m tall, much branched. Flower dark red. Cultivated in garden; open area with fertile soil. Used as ornamental plant and for building fences. Medicinal.
Notes:
Local name: Kembang sepatu
Mahyar, U.W. 998 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Liliaceae Cat. # 999

Chlorophytum comosum

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Stemless herb; leaves green with stripes along the margin and center. Cultivated in garden. Open area with fertile soil. Growing in shade.
Notes:
Local name: Kunyit putih
Mahyar, U.W. 999 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Acoraceae Cat. # 1000

***Acorus calamus* L.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Herb with thick rhizome, fetid. Stemless; leaves dark green. Cultivated in garden. Open area with fertile soil.
Notes:
Local name: Jerango
Mahyar, U.W. 1000 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Asteraceae Cat. # 1001

Erechtites hieracifolia

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Herb, 0.50 m tall. Stem and leaves red. Flower head white. Common weed in ladang. Open area with fertile soil. Leaves edible.
Notes:
Local name: Papulut jantan
Mahyar, U.W. 1001 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Asteraceae Cat. # 1002

***Erechtites valerianifolia* (Walf.) DC.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Herb, 0.75 m tall. Stem fleshy. Flower head purple. Leaves edible. Common weed in ladang. Open area with fertile soil.
Notes:
Local name: Papulut betina
Mahyar, U.W. 1002 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Amaranthaceae Cat. # 1003

Alternanthera sessilis

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Herb, 0.50 m tall. Stem and leaves red. Flower head white. Cultivated in ladang. Open area with fertile soil. Leaves edible.
Notes:
Local name: Urami
Mahyar, U.W. 1003 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Apiaceae Cat. # 1004

Apiaceae

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Herb, 1 m tall. Sweet scent. Flower white.
Cultivated in ladang. Open area with fertile soil.
Notes:
Local name: Kemangi
Mahyar, U.W. 1004 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Pedaliaceae Cat. # 1005

Sesamum indicum

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Herb, 0.75 m tall. Flower pale yellow. Pod green.
Cultivated in ladang. Open area with fertile soil.
Notes:
Local name: Lengu
Mahyar, U.W. 1005 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Malvaceae Cat. # 1006

Urena lobata

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Undershrub 0.40 m tall. Flower pale purple.
Common weed in ladang. Open area with fertile soil.
Notes:
Local name: Kejelumpang
Mahyar, U.W. 1006 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Lamiaceae Cat. # 1007

Orthosiphon aristatus

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Undershrub 0.40 m. Flower white. Leaves used for medicine. Cultivated in ladang. Open area with fertile soil. Slightk shaded area.
Notes:
Local name: Kumis kucing
Mahyar, U.W. 1007 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Euphorbiaceae Cat. # 1008

***Manihot esculenta* Crantz.**

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Shrub 2 m tall. Flower pale green with purple at apex. Fruit green. Sap milky. Cultivated in ladang. Open area. Tuber and young leaves used as vegetable.
Notes:
Local name: Jawau
Mahyar, U.W. 1008 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Arecaceae Cat. # 1009

Daemonorops

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Growing along ladang border.

Mahyar, U.W. 1009 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Arecaceae Cat. # 1010

Calamus

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Growing along ladang border.

Mahyar, U.W. 1010 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Arecaceae Cat. # 1011

Pinanga

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Stem 1.5 m tall. Fruit white. Growing along river bank. Shaded area. Rare.

Mahyar, U.W. 1011 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Arecaceae Cat. # 1012

Pinanga

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Stem 1.5 m tall. Fruit white. Growing along river bank. Shaded area. Rare.

Mahyar, U.W. 1012 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Arecaceae Cat. # 1013

Pinanga

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Stem 1 m tall. Fruit white. Growing along river bank. Shaded area. Frequent.
Notes:
Local name: Pinang kongkong
Mahyar, U.W. 1013 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Arecaceae Cat. # 1014

Livistona

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Crownshaft 3 m tall. Growing along river bank. Shaded area. Rare.
Notes:
Local name: Biru
Mahyar, U.W. 1014 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Arecaceae Cat. # 1015

Iguanura ?

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Stem 1 m tall. Growing along river bank. Shaded area. Rare.

Mahyar, U.W. 1015 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Arecaceae Cat. # 1016

Pinanga

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Stem 1.5 m tall. Growing along river bank. Shaded area. Rare.

Mahyar, U.W. 1016 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Poaceae Cat. # 1017

Bambusa

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwaters of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Growing along river bank. Shaded area, common.
Notes:
Local name: Sopeng beru
Mahyar, U.W. 1017 26 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Cat. # 1018

Asplenium subaquatile

Det. By: J.S. Burley, 1988

Locality:

Borneo; E. Kalimantan,
Headwater of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:

Frond 25 cm long. Slender and soft, dark green. Sori brown. Growing along river bank. Shaded and wet area.

Mahyar, U.W. 1018 27 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Cat. # 1019

Polypodiaceae

Det. By: J.S. Burley, 1988

Locality:

Borneo; E. Kalimantan,
Headwater of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:

Frond 20 cm long, slender and soft; dark green. Rheophyte, common grwoing along Miri river. Shaded wet area. Common.

Mahyar, U.W. 1019 27 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Cat. # 1020

Stenochlaena palustris

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwater of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Climbing fern, 3 m long. Young leaves bright pink, edible. Swampy open area. Locally abundant. Growing along forest margin.
Notes:
Local name: Paku kalakai
Mahyar, U.W. 1020 27 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Cat. # 1021

Polpodiaceae

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwater of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Frond 1 m long. Sori brown. Slightly shaded area with wet soil. Growing along forest border.

Mahyar, U.W. 1021 27 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Polygalaceae Cat. # 1022

Polygala venenosa

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwater of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Undershrub 1 m tall. Flower cream. Growing along forest border. Shaded area, rare.

Mahyar, U.W. 1022 27 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Orchidaceae Cat. # 1023

Orchidaceae

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwater of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Epiphyte grwoing on tree trunk. Slightly open area. Growing along the forest border, common.

Mahyar, U.W. 1023 27 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Cat. # 1024

Selaginella

Det. By: J.S. Burley, 1988

Locality:

Borneo; E. Kalimantan,
Headwater of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:

Frond pale green, bright. Growing on wet soil in shaded area.

Mahyar, U.W. 1024 27 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Euphorbiaceae Cat. # 1025

Phyllanthus urinaria

Det. By: J.S. Burley, 1988

Locality:

Borneo; E. Kalimantan,
Headwater of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:

Herb, 0.75 m tall. Stem reddish green. Fruit green. Growing wild in the garden. Open area with fertile soil. Common. Used for medicine.

Mahyar, U.W. 1025 27 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Piperaceae Cat. # 1026

Piper

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwater of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Stem dark green. Leaves shiny, dark green. Sweet scent when crushed. Cultivated in garden. Slightly shaded area with fertile soil.
Notes:
Local name: Sirih tawar
Mahyar, U.W. 1026 27 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Zingiberaceae Cat. # 1027

Etlingera speciosa

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwater of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Stem 3 m tall. Young shoot reddish. Rhizome stout. Flower bright red. Edible Growing wild in village, common.
Notes:
Local name: Suli potok
Mahyar, U.W. 1027 27 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Piperaceae Cat. # 1028

Piper

Det. By: J.S. Burley, 1988

Locality:

Borneo; E. Kalimantan,
Headwater of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:

Herb, 0.30 m tall. Leaves dark green. Inflorescence dark green. Growing along forest border, rare.

Mahyar, U.W. 1028 27 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Rubiaceae Cat. # 1029

Rubiaceae

Det. By: J.S. Burley, 1988

Locality:

Borneo; E. Kalimantan,
Headwater of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:

Herb, 0.25 m tall. Leaves dark green. Flower pale green. Growing along forest border, rare.

Mahyar, U.W. 1029 27 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Cat. # 1030

Acrypteris javanica

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwater of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Epiphyte growing on old rubber tree. Open area, rare.

Mahyar, U.W. 1030 27 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Orchidaceae Cat. # 1031

Dendrobium

Det. By: J.S. Burley, 1988
Locality:
Borneo; E. Kalimantan,
Headwater of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:
Epiphyte growing on old rubber tree. Open area, rare.

Mahyar, U.W. 1031 27 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA

PLANTS OF INDONESIA

Annonaceae Cat. # 1032

***Goniothalamus macrophyllus* Miq.**

Det. By: J.S. Burley, 1988

Locality:

Borneo; E. Kalimantan,
Headwater of Sungai Kahayan. Haruwu village and environs.
0°28'S 113°44'E Alt: 200 m ca.

Field Char:

Shrub 2.5 m tall. Growing along forest border, shaded area. Rare.

Mahyar, U.W. 1032 27 April 1988

HERBARIUM BOGORIENSE
HARVARD UNIVERSITY HERBARIA